MONICIPAL CORPORATION OF GREATOR MUMBAI

(Chief Engineer (Development Plan) Department) Chie / DP / 8450/Gen of 22-6-17 Subject:- Ease of Doing Business,

Directives u/s 154 of MR&TP act 1966 amended up to date in respect of implementation of the Environmental Green norms/parameters issued by the MoEF(Climate Change), Govt. of India, vide notification No.S.O.3999 E dt.09.12.2017.

Ref:-

1) S.O.3999 E dt.09.12.2017. 2) TPS-1816/CR-443/16/DP Notice/UD-13 dt.13.04.2017.

Reference is requested to the meeting held in Hon.M.C. on 19/06/2017 as discussed the formation of Environmental Cell is revised.

As per Appendix C of the notification at least 3 members from within the organisation and at least 2 outside experts are to be included in the Cell. The expertise of the Cell is required in 6 fields as enlisted in Appendix C . Since the main Objective of the Notification is ' Ease of Doing Business', for quick processing of proposals, it is proposed to have an expert in each field as cited in the notification and form a 6 member cell comprising of 3 MCGM members and 3 outside members.

	MCGM Members		
	Name	Designation	Field of Expertise
1	Shri Sherrif Sultan Ali Abbas	Dy.ChE(M&E)	Waste management(solid & liquid),
2	Shri A.S Rathore	Dy.H.E	Water conservation and Management .
3	Shri A.M. Patil	Dy.Ch.E (Rds. & Traffic)	Transport planning and management.
	Outside experts		
4	Shri P.S. Sakhare	Retd. Chief Engineer MCGM	Environmental Planning including air quality management.
5	Shri Satish Bapat	Retd. Chief Engineer Mahavitran	Energy Efficiency and renewal energy
	Shri Velotia Ashwin	Retd. Dy Ch.E . MCGM	Resource efficiency including Building materials.

A

This Environmental Cell will operate under the Local Body

As regards the Committee to whom Environmental Cell will present their report, it is to be mentioned that in MCGM there is no Committee for approving the plans ,as such, the Committee will be only the person competent to give building permission i.e Dy Ch E (B.P) of respective zones.

Since Govt. in UDD has issued 154 directives along with Notice under section 37 1 AA, the process of issuing Environmental Clearance will be started with immediate effect . However, as discussed on 20.05.2017, the online process may take about 3 months to start hence; it is proposed to start the process by accepting hardcopies from the Project proponent immediately.

The S.O.P for the process of giving Environmental clearance will be finalised in 15 days, from the date of formation of the Cell and Committee as above is approved. Since the process of Environmental Clearance is to be carried online, the schedule is as under :

- Tender document for online application will be prepared in consultation with I.T. department in 15 days. (by 16.06.2017)
- On vetting from I.T Dept. the short tender will be invited in 7 days.
- Appointment of the agency for software development to be completed in 15 days.
- Software preparation in 30 days by the agency.
- Trial of software and Audit by IT dept. in next 15 days.

To begin with the process with hard copies submissions , for the reasons mentioned at portion sidelined 'Y' at page N/7-8 few staff will be required in the cell on working arrangement under one Executive Assistant (A.O) and to be located in the office of one of the MCGM member of the cell.

In view of above Hon'ble M.C.'s approval is requested to :

- 1. The formation of cell and Approve the members as mentioned above sidelined 'A'.
- 2. To direct DMC(GA) & C.E to arrange for independent staff of one A.O.1 Head Clerk,3 Clerk cum Typist,1 Record assistant and 2 peons. The staff should be posted in next 15 days and the functioning will be started immediately thereafter as per SOP prepared for offline / online processing of environmental clearance.

The circular informing formation of Cell and implementation of 154 directives will be issued after approval to formation of cell.

SLNO: 1 is affrared. As reg

the cristing staff be used presently.

will be allowed

Submitted please.

D.\SRP 2017\DY CH E NEnv.Cell 6 members.doc

(Vivek More) Dy.Ch.E.(D.P.) |

Ajoy Mehta) Hon'ble M.C

CHESLOP

to

be

Scanned by CamScanner

vacunited any more.

·VL

Chithore)

SLN0:2

.E.(D.P.)

- no tra clock